


**FIRE PARADOX – GFMC Prescribed Burning Demonstration Network Inventory Sheet**

<b>Prescribed Burning Demonstration Sites - Site Description and Objectives -</b>		<b>Local Site Name: 619</b>	
Country: Russia	Region: Krasnoyarsk	Location: dark coniferous forest clearcut; right bank of Yenisey river (Yenisey Range)	
Unit No./Admin. Unit: Predivinsk district planning quarter # 27	Owner: Bolshaya Murta leskhoz (forest management enterprise)	Site area (ha): 48	
UTM zone:	UTM (x): 93° 49' E	Map / Aerial photo : <input type="radio"/> Yes (Please attach) <input checked="" type="radio"/> No	
	UTM (y): 57° 09' N		
First established: 27 June 1999	Area(s) burnt (ha): 45	Fire return interval (or time since last burn, or next burn planned): 180 years – average fire return interval for dark coniferous forests	
Number of plots (in case of an array of sub-plots for experimental repetitions, particular site differences or high number of operationally burned sites: burned by 5 ha plots one by one			
Special remarks: ignition at evening			
<b>Purpose of Treatment:</b>			
Specific Treatment Objectives:  slash removing, conifer forest regeneration stimulation, saving of groups of young trees (preliminary forest regeneration)		Objectives reached? <input checked="" type="radio"/> Yes <input type="radio"/> No Specify: slash fuels were removed partially due to high load of vegetating plants	
<b>Desired burn conditions to reach objectives (optional or if necessary as general prerequisite)</b>			
Wind speed (m/s): - 3		Wind direction: - South-West	
Relative humidity (%): 49		Soil moisture: No data	
Air temperature (°C): 20		Burn period (time of year): late spring	
What problems do occur? Smooth burn without problems, next day had escaped fire but was suppressed by mopup team			
<b>Site description</b>			
Vegetation type (main species): mixed forest with dominating of dark coniferous species: <i>Abies sibirica, Picea sibirica, Pinus sibirica, Betula pendula, Populus tremula</i>	Annual mean precipitation (mm/a): 450-600	Mean precipitation during time of burn (mm): 0	
Fuel load (target fuel) (t ha <sup>-1</sup> ): 139 locally	Annual mean temperature (°C): -8	Mean temperature during time of burn (°C):15	
Fuel description: Slash (40% is gathered in piles) + forest litter + lot of vegetating plants			
Topography: flat	Slope (%): 0	Aspect: -	Altitude (m a.s.l.): 500
Soil conditions: Podsol loam			
Other: Prescribed burn # 2/99 in a book Valendik et al., 2000			

**FIRE PARADOX – GFMC Prescribed Burning Demonstration Network Inventory Sheet**

<b>Burn team specifications</b>		
Parties involved: VN Sukachev Institute of forest SB RAS Bolshaya Murta leskhoz (forest management enterprise)		Specific expertise or training: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Please specify: experiment with personnel training
<b>Documentation of demonstration site</b>		
Management plan: <input type="checkbox"/> Detailed management plan <input checked="" type="checkbox"/> Simple management plan <input type="checkbox"/> none	Burn protocol: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Monitoring of <input checked="" type="checkbox"/> Weather data <input checked="" type="checkbox"/> Fuel accumulation <input checked="" type="checkbox"/> Fire behaviour
Presentations: <i>Further information is available</i>		
Photos/ videos: Photos were taken to estimate pre and post burning conditions, as well as fire behaviour		
<b>Publications:</b>  Valendik, E.N., Vekshin, V.N., Verkhovets, S.V., Zabelin, A.I., Ivanova, G.A. and Kisilyakhov, Ye.K. Prescribed Burning of Logged Sites in Dark Coniferous Forests. SB RAS Publishing, Novosibirsk. 2000, 209 pp (in Russian).  Kisilyakhov Y.K., E.N. Valendik, G.A. Ivanova, V.D. Perevoznikova, S.V. Verkhovets. Use of BEHAVE for forest fire experiments and prescribed fires in Siberia // Disturbance in boreal forest Ecosystems: Human Impacts and Natural Processes. S.G. Conard, ed. Proceedings of the International Boreal Forest Research Association 1997 annual meeting; 1997 August 4-7; Duluth, Minnesota, USA. Gen. Tech. Rep. NC-209. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station, 2000. 435 pp.  Verkhovets S.V. Duff consumption during slash burning In: Proceeding of Conference «Components investigations of Siberian forest ecosystems» # 3, 2001, P. 22-24. (in Russian)		
Contact details (person or institution in charge of the site and / or submitter of this information):  Name: VN Sukachev Institute for forest SB RAS / Yegor K.Kisilyakhov Address: 660036, Russia, Krasnoyarsk, Akademgorodok Telephone: (3912) 433686 Telefax: (3912) 433686 e-mail: <a href="mailto:yegorkis@mail.ru">yegorkis@mail.ru</a> Website: <a href="http://forest.akadem.ru">http://forest.akadem.ru</a>		





**FIRE PARADOX – GFMC Prescribed Burning Demonstration Network Inventory Sheet**



